X100/701

NATIONAL QUALIFICATIONS 2003 WEDNESDAY, 21 MAY 1.00 PM - 4.00 PM MATHEMATICS ADVANCED HIGHER

Read carefully

- 1. Calculators may be used in this paper.
- 2. There are five Sections in this paper.

Section A assesses the compulsory units Mathematics 1 and 2

Section B assesses the optional unit Mathematics 3

Section C assesses the optional unit Statistics 1

Section D assesses the optional unit Numerical Analysis 1

Section E assesses the optional unit Mechanics 1.

Candidates must attempt Section A (Mathematics 1 and 2) and one of the following Sections:

Section B (Mathematics 3)

Section C (Statistics 1)

Section D (Numerical Analysis 1)

Section E (Mechanics 1).

- 3. Candidates must use a separate answer book for each Section. Take care to show clearly the optional section chosen. On the front of the answer book, in the top right hand corner, write B, C, D or E.
- 4. A booklet of Mathematical Formulae and Statistical Tables is supplied for all candidates. It contains Numerical Analysis formulae and Statistical formulae and tables.
- 5. Full credit will be given only where the solution contains appropriate working.





Section A (Mathematics 1 and 2)

Marks

All candidates should attempt this Section.

Answer all the questions.

- (A1. (a) Given $f(x) = x(1+x)^{10}$, obtain f'(x) and simplify your answer.
 - (b) Given $y = 3^x$, use logarithmic differentiation to obtain $\frac{dy}{dx}$ in terms of x.
- **A2.** Given that $u_k = 11 2k$, $(k \ge 1)$, obtain a formula for $S_n = \sum_{k=1}^n u_k$.

 Find the values of n for which $S_n = 21$.
- A3. The equation $y^3 + 3xy = 3x^2 5$ defines a curve passing through the point A(2, 1). Obtain an equation for the tangent to the curve at A.
- **A4.** Identify the locus in the complex plane given by |z+i|=2.
- **A5.** Use the substitution $x = 1 + \sin \theta$ to evaluate $\int_0^{\pi/2} \frac{\cos \theta}{(1 + \sin \theta)^3} d\theta.$
- **A6.** Use elementary row operations to reduce the following system of equations to upper triangular form


$$x + y + 3z = 1$$

 $3x + ay + z = 1$
 $x + y + z = -1$.

Hence express x, y and z in terms of the parameter a.

Explain what happens when a = 3.

A7.



The diagram shows the shape of the graph of $y = \frac{x}{1+x^2}$. Obtain the stationary points of the graph.

Sketch the graph of $y = \left| \frac{x}{1+x^2} \right|$ and identify its three critical points.

3

2

A8. Given that $p(n) = n^2 + n$, where n is a positive integer, consider the statements:

A p(n) is always even

B p(n) is always a multiple of 3.

For each statement, prove it if it is true or, otherwise, disprove it.

4

1

3

A9. Given that $w = \cos \theta + i \sin \theta$, show that $\frac{1}{w} = \cos \theta - i \sin \theta$.

Use de Moivre's theorem to prove $w^k + w^{-k} = 2\cos k\theta$, where k is a natural number.

Expand $(w + w^{-1})^4$ by the binomial theorem and hence show that

$$\cos^4\theta = \frac{1}{8}\cos 4\theta + \frac{1}{2}\cos 2\theta + \frac{3}{8}.$$

A10. Define $I_n = \int_0^1 x^n e^{-x} dx$ for $n \ge 1$.

(a) Use integration by parts to obtain the value of $I_1 = \int_0^1 x e^{-x} dx$.

3

(b) Similarly, show that $I_n = nI_{n-1} - e^{-1}$ for $n \ge 2$.

4

(c) Evaluate I_3 .

3

A11. The volume V(t) of a cell at time t changes according to the law

$$\frac{dV}{dt} = V(10 - V)$$
 for $0 < V < 10$.

Show that

$$\frac{1}{10}\ln V - \frac{1}{10}\ln (10 - V) = t + C$$

for some constant C.

4

Given that V(0) = 5, show that

$$V(t) = \frac{10e^{10t}}{1 + e^{10t}}.$$

Obtain the limiting value of V(t) as $t \to \infty$.

2

$[END\ OF\ SECTION\ A]$

Candidates should now attempt ONE of the following

Section B (Mathematics 3) on Page four

Section C (Statistics 1) on Pages five and six

Section D (Numerical Analysis 1) on Pages seven and eight

Section E (Mechanics 1) on Pages nine, ten and eleven.

Section B (Mathematics 3)

Marks

ONLY candidates doing the course Mathematics 1, 2 and 3 should attempt this Section.

Answer all the questions.

Answer these questions in a separate answer book, showing clearly the section chosen.

B1. Find the point of intersection of the line

$$\frac{x-3}{4} = \frac{y-2}{-1} = \frac{z+1}{2}$$

and the plane with equation 2x + y - z = 4.

4

B2. The matrix A is such that $A^2 = 4A - 3I$ where I is the corresponding identity matrix. Find integers p and q such that

$$A^4 = pA + aI$$
.

1

B3. A recurrence relation is defined by the formula

$$x_{n+1} = \frac{1}{2} \left\{ x_n + \frac{7}{x_n} \right\}.$$

Find the fixed points of this recurrence relation.

3

B4. Obtain the Maclaurin series for $f(x) = \sin^2 x$ up to the term in x^4 . Hence write down a series for $\cos^2 x$ up to the term in x^4 .

4

B5. (a) Prove by induction that for all natural numbers $n \ge 1$

(

$$\sum_{r=1}^{n} 3(r^2 - r) = (n - 1)n(n + 1).$$

(b) Hence evaluate $\sum_{r=11}^{40} 3(r^2 - r)$.

2

B6. Solve the differential equation

$$\frac{d^2y}{dx^2} - 4\frac{dy}{dx} + 4y = e^x,$$

given that y = 2 and $\frac{dy}{dx} = 1$, when x = 0.

10

[END OF SECTION B]